CLICK TO WATCH VIDEO

Interactive WBS

PeopleLink Interactive WBS (White Board Solution) connected to your projector will turn your regular whiteboard into a fully featured interactive whiteboard. You can take notes, annotate PowerPoint presentations, and turn any surface into a fully functional Interactive board.

☑ Turn any surface into an Interactive White Board.

☑ Multi touch recognition for much enhanced collaboration.

☑ Portable & Sleek design.

☑ providing almost upto 150" Interactive Surface.

☑ Interactive WBS helps hold audience attention and

CLICK TO VISIT WEBPAGE

PeopleLink

Applications

- Area of Application: Classrooms, Training Rooms, Boardrooms, Auditoriums.

Specifications

Interactive WBS

CLICK TO VISIT WEBPAGE

SIGNAL RECEIVER

Movement Detection Tech	Infrared
Active Area(max projection size)	90 inch diagonal
Active Area(horizontal angle)	+/-30 degrees
Active Area(vertical angle)	0-120 degrees
Calibration Technology	Infrared Positioning
Active Distance from projection	0.8-2m
Connectivity Interface distance up to 24 m)	1 x USB Cable (connection distance up to 24 m)
Power Requirement	4.5 DC 9 W (from USB port)
Power Consumption	<1.5 W
Weight	72g

MAGIC PEN

Movement Detection Tech.	LED light
Voltage	3.7V
Consumption of LED	16.5 ~ 17mV
Electric quantity	240 mA / h
Usage Time	2 week to 1 month
Pen Body Dimension	17cm (length)
Weight	43g

PeopleLink

PROJECTION SIZE (DISTANCE BETWEEN RECEIVER AND PROJECTION SURFACE)

80 inch	197cm
100 inch	2.38m
120 inch	1350cm
150inch	372cm

SHORT FOCUS

80 inch	105cm
100 inch	140m
120 inch	178cm
150inch	195cm

ORDERING INFORMATION

PeopleLink White Board Solution	PCU-PPS-WBS
PeopleLink WBS Short Throw	PCU-PPS-WBS-ST

Follow us: (in) (twitter) (f) (youtube) (G+) (pinterest) www.peoplelinkvc.com/social-presence

www.peoplelinkvc.com

PeopleLink