



PeopleLink COB 1.25



- The PeopleLink series represents the epitome of quality with our advanced COB display technology, designed to be anti-collision, dust-proof, and moisture-proof for the Premium Experience in indoor Micro & Mini fine pixel pitch applications.
- Adopting a 16:9 standard display ratio, the PeopleLink series showcases premium features such as a high refresh rate of 3840Hz and an exceptional 15-bit grayscale, delivering extraordinary color expression. Experience seamless splicing with no noticeable visual black seams, ensuring an exceptionally comfortable viewing experience. Additionally, our sophisticated cold screen technology extends product life and enhances the near-screen experience. The PeopleLink series is the ultimate Micro & Mini-pitch solution for high-end conferences, monitoring, command centers, studios, medical institutions, digital exhibition halls, and other sophisticated environments, where only the finest display solutions are acceptable.

PeopleLink

PeopleLink COB 1.25

COB 1.25

Indoor applications

1 Using high-quality LED, high brightness utilization

2 High contrast

3 Lightweight and easy to disassemble

4 Single lamp maintenance
Low cost

Provide different levels of configuration to meet customer needs, including different performance and wall-touching interactive function. The product specifications can be customized.

Specification

Pixel Pitch	: 1.25mm
Physical Density	: 640,000 pixels/m ²
LED Arrangement	: Flip chip COB
Module Dimensions	: 150x 168.75mm
Module Resolution	: 120 x 135 pixels
Cabinet Dimensions	: 600 x 337.5 x 29.4 mm
Cabinet Resolution	: 480 x 270 pixels
Cabinet Weight	: 4kg ± 0.2kg
Brightness	: 600nits
Max. Power Consumption	: 60w/panel
Avg. Power Consumption	: 20w/panel
Viewing Angle	: 160°/160°
Operating Power Source	: 100-240V AC, 50/60Hz
Operating Temperature	: -10°C~+45°C
Refresh Rate	: 3,840Hz
IP Rating	: IP30

SALES AND INQUIRIES

Global Headquarters

Q3-A3, 10th Floor Cyber Towers,
HITEC City, Hyderabad,
Telangana 500081, **India**
Phone: +91 9100123013
Email: vc@peoplelinkvc.com

International Contact Numbers

USA: +1 669-696-8383
Australia: +61 370 037070
France: +33 6 80 75 26 42
Middle East: +966 5300 19292
UK: +44 20 4571 5454

UAE: +971 4 3339082
Canada: +1 647-945-7373
Malaysia: +(6)018-2872188
New Zealand: +64-9-802-4666
Africa: +254 722 619 314

Tech Support

Toll Free: 1800 208 3399
customersupport@peoplelinkvc.com